



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

and the power to resist cold, the significance of this being that freezing tends to draw water out from the cells, while the increase in the strength of the cell sap would tend to counteract this.

SULLIVANT MOSS SOCIETY NOTES

A Correction

Plagiothecium geophilum (Aust.) Grout, was found by me at *Sulphur Lick Springs, Ross Co., Ohio*, about nine miles west of Chillicothe, Ohio, *not* at Yellow Springs, Ohio, as given in Dr. Grout's note on p. 53 of the May BRYOLOGIST.

Ross County, Ohio, is a good hunting ground for bryologists, being much cut up by the Scioto River and numerous creeks, which have eroded the surface into gullies and ravines from a few to several hundred feet deep. The wooded sides of these cuts being too steep for cultivation, remain nearly wild land.

Geologically, it is in the Upper Silurian, and good sections from the Waverly shales down to the Niagara limestone are found in different parts of the county. The forests are entirely deciduous, the soil is clay, and the rocks argillaceous shales and limestone.

H. S. JEWETT, M. D.,
Dayton, Ohio.

MAY 19, 1912.

EXCHANGE DEPARTMENT

(To Society Members Only—For Postage.)

Mr. George L. Kirk, 21 East Washington St., Rutland, Vt.—*Grimaldia fragrans* (Balb.) Corda.

Dr. George H. Conklin, 1204 Tower Ave., Superior, Wis.—*Lophozia heterocolpa* (Thed.) M. A. Howe and *Scapania irrigua* (Nees) Dumort. From the Duluth-Superior district.

Edward B. Chamberlain, Round Pond, Maine.—*Hypnum hamulosum* B. & S. c. fr., and *Pseudoleskea radicata* (Mitt.) Kindb.—Collected in Norway by Dr. I. Hagen.

Miss Caroline C. Haynes, Highlands, New Jersey. *Marsupella emarginata* (Ehrh.) Dumort., Adirondack Mts., collected by C. C. Haynes, *Jung. atrovirens* Dumort. Washington, collected by Dr. Frye.

Mr. Geo. B. Kaiser, 564 Locust Ave., Germantown, Pa.—*Andreaea crassinervia* Bruch. Collected in Washington by Prof. T. C. Frye.

Rev. F. S. Beattie, Lincoln, New Hampshire, *Ramalina farinacea* (L.) Ach. Collected in the Philippine Islands.